DATE: 7/23/2018

SCALE:

SHEET:

P-1

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906



## PHOTO OR RENDERING

FOR ILLUSTRATION ONLY



FOR ILLUSTRATION ONLY

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

NUMBER DATE REVISED BY DESCRIPTION

SD GARAGE SIDE

BY: D HAYDEN
D HAYDEN

DESIGNED BY
DRAWN BY:
CHECKED BY:

DATE: 7/23/2018

SCALE:

SHEET:

P-2



FOR ILLUSTRATION ONLY

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

NUMBER DATE REVISED BY DESCRIPTION

MASTER BEDROOM CORNER

) BY: D HAYDEN

DESIGNED BY
DRAWN BY:
CHECKED BY:

DATE: 7/23/2018

SCALE:

SHEET:

P-3



FOR ILLUSTRATION ONLY

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

NUMBER DATE REVISED BY DESCRIPTION

30 アイニク 310円

ED BY: D HAYDEN BY: D HAYDEN

DESIGNED B
DRAWN BY:
CHECKED BY

DATE: 7/23/2018

SCALE:

SHEET:

P-4



FOR ILLUSTRATION ONLY

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

DOLL HOUSE VIEW, FLOOR PLAN

D BY: D HAYDEN

DESIGNED BY:
DRAWN BY:
CHECKED BY:

DATE: 7/23/2018

SCALE:

SHEET:

P-5

P-6


1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129

(615) 269-3906

### RENDERING

FOR ILLUSTRATION ONLY





DESIGNED B
DRAWN BY:
CHECKED BY

DATE: 7/23/2018

SCALE:

SHEET:

P-7

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906



### RENDERING

FOR ILLUSTRATION ONLY

DATE: 7/23/2018

SCALE:

SHEET:

P-8

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906



### RENDERING

FOR ILLUSTRATION ONLY



BY: D HAYDEN D HAYDEN

DESIGNED BY
DRAWN BY:
CHECKED BY:


DATE: 7/23/2018

SCALE:

SHEET:


P-9

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906




### RENDERING

FOR ILLUSTRATION ONLY



1ST LEVEL FLOOR PLAN
1/4"=1"



1ST FLOOR FURNITURE PLAN

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your space requirements.

4"=1'

NUMBER DATE REVISED BY DESCRIPTION

1st FLOOR PLAN


DESIGNED BY: D HAYDE DRAWN BY: D HAYDE CHECKED BY:

DATE: 7/23/2018


SCALE:

SHEET:

P-10







Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

DATE: 7/23/2018

SCALE:

SHEET:


# KITCHEN & CABINET NOTES

- 1. ALL CABINETS FRAMELESS, MAPLE OR ALDER
- 2. CONFIRM FINISH & STAIN/
  PAINT WITH CLIENT PRIOR TO
  ORDERING
- 3. CONFIRM DOOR & DRAWER
  STYLES WITH CLIENT PRIOR
  TO ORDERING
- 4. INSTALL HARDWARE ON SITE
- 5. INSTALL CROWN MOLDING ON SITE; CONFIRM PROFILE AND DIMENSION WITH HOME OWNER
- 6. CABINET SUPPLIER
  RESPONSIBLE FOR FINAL
  MEASUREMENTS & CABINET
  OPENINGS FOR APPLIANCES
  SPECIFICATIONS
- 7. ALL APPLIANCES TO BE ON DEDICATED CIRCUITS, UNO. REFER TO APPLIANCE SPECIFICATIONS FOR AMP/ YOLTAGE REQUIREMENTS
- 8. USE MIN 6" DUCT FOR HOOD.

  CONFIRM HOOD IS 500 CFM

  MIN.
- 9. CONFIRM FINAL MATERIALS
  FOR BACKSPLASH AND
  COUNTERTOP WITH CLIENT
  PRIOR TO ORDERING
- 10. ALL DRAWERS TO BE TONGUE & GROOVE; GLIDES TO BE SOFT CLOSE
- 11. LED STRIP LIGHTS FOR WALL
  CABINETS AND UNDER ISLAND
  COUNTER FABRICATION: CONFIRM
  ALL FIXTURE MEASUREMENTS
  AND CENTERLINES






KITCHEN FLOOR PLAN

1/2"=1'


#### KITCHEN RENDERING

FOR ILLUSTRATION ONLY - NO SCALE




RANGE ELEVATION

1/2"=1'



SINK ELEVATION

1/2"=1'



#### REFRIGERATOR ELEVATION

1/2"=1'

P-12

SHEET:

DATE:

SCALE:

7/23/2018

1/2" = 1'

claimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your space requirement

MASTER BATH SINK ELEVATION

1/2"=1'

SHEET:


P-13

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906




#### MASTER BATH RENDERING

FOR ILLUSTRATION ONLY - NO SCALE



MASTER BATH FLOOR PLAN

1/2"=1'



MASTER BATH SHOWER ELEVATION

1/2"=1'




#### ROOF FRAMING NOTES

COMBINATION HAND FRAME AND TRUSS FRAMING FOR ROOF


- 1. TRUSS DRAWING IS FOR
  ILLUSTRATION ONLY. ALL
  TRUSSES SHALL BE INSTALLED
  & BRACED TO
  MANUFACTURER'S DRAWINGS
  & SPECIFICATIONS
- 2. ALL TRUSSES SHALL CARRY MANUFACTURER'S STAMP
- 3. TRUSSES SHALL NOT BE FIELD
  ALTERED WITHOUT PRIOR
  ENGINEERING APPROVAL
- 4. ALL TRUSSES SHALL HAVE
  DESIGN DETAILS & DRAWINGS
  ON SITE FOR FRAMING
  INSPECTION.
- 5. ALL CONNECTIONS OF
  RAFTERS, JACK OR HIP
  TRUSSES TO MAIN GIRDER TO
  BE PROVIDED BY TRUSS
  MANUFACTURER
- 6. ALL ROOF OVERHANGS 18"; DORMER OVERHANGS 10", UNO
- 7. INSTALL ICE SHIELD AS REQUIRED
- 8. ATTIC VENTILATION: REQUIRED ABOVE HOUSE
- 9. ROOF VENTING HIGH/LOW





ROOF PLAN

3/16"=1'



ROOF RENDERING

NO SCALE - FOR ILLUSTRATION ONLY

Disclaimer: Measurements are approximate and are for illustrative purposes only. While we do not doubt the plans accuracy, we make no guarantee, warranty or representation as to the accuracy and completeness of the floor plan. You or your advisors should conduct a careful, independent investigation of the property to determine to your satisfaction as to the suitability of the property for your space requirements.

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906

ROOF PLAN


D BY: D HAYDEN

DESIGNED BY
DRAWN BY:
CHECKED BY:

DATE: 7/23/2018

SCALE: 3/16" = 1'

SHEET:




7/23/2018

P-16

#### FOUNDATION NOTES

8" CONC. STEM MALL M/ #4 YERTS @18" O/C W/ STD 90° HOOK INTO FTG. & #4 HORIZ. @ 12" 0/C

- 1. FOUNDATIONS TO BEAR A MINIMUM OF 24" BELOW FINISH GRADE
- 2. ALL ANCHOR BOLTS TO BE 5/8" DIA × 10 @ 32" O/C UNO.
- 3. ALL REINFORCING STEEL SHALL BE ASTM A-615, GRADE 60.
- 4. ALL REINFORCING STEEL TO OVERLAP A MINIMUM OF 24" FOR SPLICES.
- 5. PROVIDE CORNER BARS TO MATCH CONTINUOUS STEEL.
- 6. MINIMUM ALLOWABLE CONCRETE COMPRESSIVE STRENGTH SHALL BE 3000 PSI AT 26 DAYS. MAXIMUM AGGREGATE SIZE IS 1". MAXIMUM AIR ENTRAINMENT IS 3%. CEMENT SHOULD BE TYPE 1 OR 2.
- 7. SOIL BEARING CAPACITY ASSUMED TO BE 1500 PSF (UBC TYPE 4 SOIL). IF SOIL CONDITIONS VARY FROM THIS, THE PROJECT ENGINEER MUST BE NOTIFIED. ALL FOOTINGS MUST BEAR ON UNDISTURBED SOIL. ALL SLOPES MUST BE STABILIZED.
- 8. ADJACENT GROUND SURFACES SHALL BE SLOPED AWAY FROM STRUCTURE DRAINAGE OF SURROUNDING AREA SHALL ALSO BE PROVIDED TO PREVENT ACCUMULATION OF SOIL AND EROSION OF SOIL NEAR FOOTINGS.
- 9. UNIFORM SOIL CONDITIONS, MUST BE PROYIDED UNDER SLAB AND FOOTINGS. CUT/FILL OR NON-UNIFORM SOIL CONDITIONS SHOULD BE EXCAYATED AND REPLACED W/ UNIFORM ENGINEERED FILL MATERIAL TO MINIMIZE DIFFERENTIAL MOYEMENT.
- 10. THE TOPS OF FOUNDATION WALLS SHALL EXTEND 6" ABOVE THE ADJACENT FINISH GRADE MINIMUM 18" CLEARANCE FOR WOOD JOIST GIRDERS REQUIRED IN THE CRAML SPACE UNLESS TREATED MOOD IS USED THROUGHOUT FLOOR SYSTEM



#### FOUNDATION PLAN - FLOOR O

1/4"=1'

1461 BATTLEGROUND DRIVE MURFREESBORO, TN 37129 (615) 269-3906

DATE: 7/23/2018


SCALE:


1/4" = 1'

SHEET:

P-17







SITE PLAN - PROPOSED ADDITION

1"=20'

NUMBER DATE REVISED BY DESCRIPTION

Y: D HAYDEN D HAYDEN

DRAWING:
DESIGNED B'
DRAWN BY:
CHECKED BY

DATE: 7/23/2018

SCALE: 1/20" = 1'

SHEET:

P-18

	FRAMING SCHEDULE										
NUMBER	NAME	QTY	NOMINAL	LENGTH	MATERIAL	TYPE					
TO1	HEADER	2	2X10	77"	FIR STUD 16" OC	LUMBER					
T02	HEADER	2	2X12	111 1/8"	FIR STUD 24" OC	LUMBER					
T03	HEADER	2	2X12	114 3/4"	FIR STUD 24" OC	LUMBER					
T04	HEADER	4	2X4	28"	FIR STUD 24" OC	LUMBER					
T05	HEADER	8	2X6	28"	FIR STUD 24" OC	LUMBER					
T06	HEADER	2	2X6	30 9/16"	FIR STUD 16" OC	LUMBER					
T07	HEADER	4	2X6	30"	FIR STUD 24" OC	LUMBER					
T08	HEADER	2	2X6	32 1/16"	FIR STUD 24" OC	LUMBER					
T09	HEADER	18	2X6	32"	FIR STUD 24" OC	LUMBER					
T10	HEADER	2	2X6	33"	FIR STUD 24" OC	LUMBER					
T11	HEADER	4	2X6	35"	FIR STUD 16" OC	LUMBER					
T12	HEADER	2	2X6	37"	FIR STUD 16" OC	LUMBER					
T13	HEADER	4	2X6	37"	FIR STUD 24" OC	LUMBER					
T14	HEADER	2	2X6	41"	FIR STUD 16" OC	LUMBER					
T15	HEADER	6	2X6	41"	FIR STUD 24" OC	LUMBER					
T16	HEADER	2	2X6	42"	FIR STUD 16" OC	LUMBER					
T17	HEADER	2	2X6	42"	FIR STUD 24" OC	LUMBER					
T18	HEADER	2	2X6	43"	FIR STUD 16" OC	LUMBER					
T19	HEADER	2	2X6	44 1/8"	FIR STUD 16" OC	LUMBER					
T20	HEADER	2	2X6	46 1/4"	FIR STUD 24" OC	LUMBER					
T21	HEADER	2	2X6	48 1/2"	FIR STUD 24" OC	LUMBER					
T22	HEADER	8	2X8	53"	FIR STUD 16" OC	LUMBER					
T23	HEADER	2	2X8	57 13/16"	FIR STUD 16" OC	LUMBER					
T24	HEADER	2	2X8	61"	FIR STUD 16" OC	LUMBER					
T25	HEADER	2	2X8	64 11/16"	FIR STUD 24" OC	LUMBER					
T26	HEADER	2	2X8	64 5/16"	FIR STUD 24" OC	LUMBER					
T27	HEADER	2	2X8	64"	FIR STUD 24" OC	LUMBER					
T28	HEADER	2	2X8	65"	FIR STUD 16" OC	LUMBER					
T29	HEADER	2	2X8	73"	FIR STUD 24" OC	LUMBER					

					CA	BINET SCHE	DULE			
NUMBER	LABEL	QTY	FLOOR	MIDTH	DEPTH	HEIGHT	DESCRIPTION	CODE	MANUFACTURER	COMMENTS
CO4		1	1	27 "	24 "	36 "	BASE CABINET			
C07	4DB1921	1	1	18 7/8 "	21 "	36 "	BASE CABINET			
C13	DCM2442R	1	1	24 "	24 "	42 "	CORNER WALL CABINET			
C14	B1821L	1	1	18 "	21 "	36 "	BASE CABINET			
C15	SB3418	1	1	34 5/16 "	18 "	36 "	BASE CABINET			
C17	SB2721	1	1	27 "	21 "	36 "	BASE CABINET			
C22		1	1	12 "	12 "	42 "	MALL CABINET			
C23		1	1	34 3/8 "	12 "	26 1/2 "	MALL CABINET			
C24		1	1	33 "	12 "	42 "	MALL CABINET			
C25		1	1	39 "	24 "	21 "	MALL CABINET			
C26		1	1	36 "	36 "	36 "	CORNER BASE CABINET			
C27	B2412R	1	1	24 "	11 11/16 "	36 "	BASE CABINET			
C28	BCB6	1	1	6 "	24 "	36 "	BASE CABINET			
C30	BCB44R	1	1	43 9/16 "	24 "	36 "	BASE CABINET			
C31	DCM2442L	1	1	24 "	24 "	42 "	CORNER WALL CABINET			
C32	M642	1	1	6 "	12 "	42 "	MALL CABINET			
C33		1	1	15 "	12 "	42 "	MALL CABINET			
C34	B2412R	1	1	24 "	12 "	36 "	BASE CABINET			

						DOOR SCI	HEDULE			
NUMBER	LABEL	QTY	FLOOR	MIDTH	HEIGHT	R/0	DESCRIPTION	TEMPERED	U-FACTOR	SHGC
D01	4568	1	1	52 13/16 "	80 "	54 13/16"X82 1/2"	4 DR. BIFOLD-LOUVERED		0.3	0.3
D02	3068	2	1	36 "	80 "	38"X82 1/2"	HINGED-PANEL		0.3	0.3
D03	2668	2	1	30 "	80 "	32"X82 1/2"	HINGED-PANEL		0.3	0.3
D04	3368	1	1	39 1/8 "	80 "	41 1/8"X82 1/2"	HINGED-PANEL		0.3	0.3
D05	3868	1	1	43 3/4 "	80 "	45 3/4"X82 1/2"	4 DR. BIFOLD-LOUVERED		0.3	0.3
D06	3068	3	1	36 "	<i>80</i> "	38"X83"	EXT. HINGED-GLASS PANEL		0.3	0.3
DOT	4068	1	2	48 "	80 "	50"X82 1/2"	4 DR. BIFOLD-LOUVERED		0.3	0.3
D08	41168	1	1	59 5/16 "	80 "	61 5/16"X83"	EXT. DOUBLE HINGED-GLASS PANEL		0.3	0.3
D09	3368	1	1	38 11/16 "	80 "	40 11/16"X82 1/2"	4 DR. BIFOLD-LOUVERED		0.3	0.3
D10	4068	1	1	48 "	80 "	50"X82 1/2"	4 DR. BIFOLD-LOUVERED		0.3	0.3
D11	4868	1	1	56 "	80 "	58"X82 1/2"	DOUBLE HINGED-PANEL		0.3	0.3
D12	81170	1	1	106 3/4 "	84 "	108 3/4"X87"	GARAGE-GARAGE DOOR PO2		0.3	0.3
D13	8770	1	1	103 1/8 "	84 "	105 1/8"X87"	GARAGE-GARAGE DOOR PO2		0.3	0.3
D14	5068	1	1	59 11/16 "	80 "	61 11/16"X83"	EXT. DOUBLE HINGED-GLASS PANEL		0.3	0.3

				E!	LECTRICAL	SCHEDULE		
NUMBER	QTY	FLOOR	MIDTH	DEPTH	HEIGHT	ATTACHED TO	DESCRIPTION	NUMBER
E01	8	1	3 "	5/16 "	5 "	MALL	GFCI	E01
E02	1	1	12 "	18 "	1 1/4 "	CEILING	EXHAUST (LIGHT, HEAT LAMP)	E02
E03	4	1	13 1/16 "	13 1/8 "	33 1/4 "	FLOOR	LONG-NECK LAMP	E03
E05	1	1	17 9/16 "	17 9/16 "	34 7/8 "	CEILING	DOVER PENDANT	E05
E06	1	1	24 "	5 1/8 "	6 1/2 "	MALL	BRYANT SCONCE 3	E06
E07	11	1	3 "	3/4 "	5 "	MALL	SINGLE POLE	E07
E08	17	1	3 "	5/16 "	5 "	MALL	DUPLEX	E08
E11	1	1	5 "	3/4 "	5 "	MALL	2 GANG SWITCH	E11
E12	3	1	52 "	52 "	15 "	CEILING	BASIC CEILING FAN	E12
E13	2	1	12 1/16 "		5 1/2 "	CEILING	COMMON FLUSH MOUNT	E13
E15	1	2	45 13/16 "	18 3/4 "	72 "	FLOOR	ARC LAMP	E15

REVISION TABLE	UMBER DATE REVISED BY DESCRIPTION			
	NUMBE			

NED BY: D HAYDEN

DESIGNED BY:
CHECKED BY:

DATE: 7/23/2018

SCALE:

SHEET:

P-19

	MINDOM SCHEDULE												
NUMBER	LABEL	QTY	FLOOR	MIDTH	HEIGHT	EGRESS	DESCRIPTION	SHAPE	TEMPERED	SHGC	U-FACTOR		
M01	2034DH	4	1	24 "	40 "		DOUBLE HUNG			0.3	0.3		
M02	2050DH	2	1	24 "	60 "		DOUBLE HUNG			0.3	0.3		
M03	2250DH	2	1	26 "	60 "		DOUBLE HUNG			0.3	0.3		
M04	3648DH	1	1	42 1/4 "	55 3/4 "		DOUBLE HUNG			0.3	0.3		
M05	2429DH	1	2	28 1/16 "	32 9/16 "		DOUBLE HUNG			0.3	0.3		
M06	24310DH	5	2	28 "	46 "		DOUBLE HUNG			0.3	0.3		
M07	50411RS	1	2	60 "	59 7/16 "		RIGHT SLIDING			0.3	0.3		
M08	2467DH	4	1	28 "	79 "		DOUBLE HUNG			0.3	0.3		
M09	2529DH	1	2	29 "	32 9/16 "		DOUBLE HUNG			0.3	0.3		
M10	2967DH	4	1	33 "	79 "		DOUBLE HUNG			0.3	0.3		
M11	3250DH	1	1	38 "	60 "		DOUBLE HUNG			0.3	0.3		

			ROOM FINISH	+ SCHEDULE				
ROOM NAME	AREA, INTERI OR (SQ FT)	CEILING HEIGHT	MALL MATERIAL	FLOOR FINISH	CEILING FINISH	BASE MOLDIN G	MINDOM CASING	DOOR CASIN G
BATH	3	97 1/2"	DRYMALL	LIMESTONE TILES, THINSET MORTAR	DRYMALL, COLOR - BONE			
HALL	102	97 1/2"	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYWALL, COLOR - BONE	CA-66		STOCK
BEDROOM	120	97 1/2"	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYWALL, COLOR - BONE	CA-66	STOCK	STOCK
CLOSET	5	118 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE	CA-66		
DINING	192	109 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE		STOCK	STOCK
ENTRY	10	118 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE			STOCK
ENTRY	34	152 1/8"	DRYMALL, FIRE RATED DRYMALL	LIMESTONE TILES, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE	CA-66		STOCK
ENTRY	155	118 1/2", 131 1/8"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE			STOCK
FAMILY	193	109 1/2", 118 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE		STOCK	STOCK
LIVING	11	97 1/2"	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYWALL, COLOR - BONE			STOCK
CLOSET	7	97 1/2"	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYWALL, COLOR - BONE			STOCK
KITCHEN	93	97 1/2"	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYMALL, COLOR - BONE		STOCK	STOCK
KITCHEN	169	109 1/2", 139 1/2"	DRYMALL	LIMESTONE TILES, THINSET MORTAR	DRYWALL, COLOR - BONE			STOCK
CL.	10	97 1/2"	DRYMALL	CARPET-B4, THINSET MORTAR	DRYWALL, COLOR - BONE			STOCK
KITCHEN	93	109 1/2", 118 1/2", 139 1/2"	DRYMALL	LIMESTONE TILES, THINSET MORTAR	DRYMALL, COLOR - BONE			STOCK
CLOSET	11	97 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYWALL, COLOR - BONE			STOCK
LIVING	252	N/A	DRYMALL	LIGHT - MP PLANK, THINSET MORTAR	DRYMALL, COLOR - BONE		STOCK	STOCK
LIVING	219	118 1/2"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE			STOCK
MASTER BDRM	156	97 1/2"	DRYMALL	CARPET-B4, THINSET MORTAR	DRYMALL, COLOR - BONE		STOCK	STOCK
NOOK	1	118 1/2", 152 1/8"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYWALL, COLOR - BONE	CA-66		
NOOK	186	152 1/8"	DRYMALL, RED5 BRICK	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE		STOCK	
OPEN PORCH	386	N/A	CC-50 WHITE DOWN, RED5 BRICK		DRYMALL, COLOR - BONE		STOCK	STOCK
PANTRY	5	152 1/8"	DRYMALL	LIGHT - MP PLANK, FOAM UNDERLAYMENT	DRYWALL, COLOR - BONE	CA-66		1
ENTRY	82	152 1/8"	DRYMALL, FIRE RATED DRYMALL	LIMESTONE TILES, FOAM UNDERLAYMENT	DRYMALL, COLOR - BONE	CA-66		STOCK
UTILITY	30	89 1/8"	DRYMALL, FIRE RATED DRYMALL	LIMESTONE TILES, THINSET MORTAR	DRYMALL, COLOR - BONE			STOCK
L	88	97 1/2"	DRYMALL	LIMESTONE TILES, FOAM UNDERLAYMENT	DRYWALL, COLOR - BONE		STOCK	STOCK
CL.	16	97 1/2"	DRYMALL	CARPET-B4. THINSET MORTAR	DRYWALL, COLOR - BONE	CA-66		STOCK
ENTRY	22	152 1/8"	DRYMALL	LIMESTONE TILES, FOAM UNDERLAYMENT	DRYWALL, COLOR - BONE			1
TOTALS:	2651							

	FIXTURE SCHEDULE										
NUMBER	LABEL	QTY	FLOOR	MIDTH	DEPTH	HEIGHT	DESCRIPTION				
AO1	ADA TOILET	2	1	30 "	36 "	29 7/8 "	ADA TOILET				
A02	DECK MOUNTED SINGLE HANDLE KITCHEN FAUCET	1	1	4 5/8 "	10 15/16 "	15 3/16 "	DECK MOUNTED SINGLE HANDLE KITCHEN FAUCET				
A03	DRYER (CURVED)	1	1	27 "	33 3/16 "	38 "	DRYER (CURVED)				
A04	FREEZER ON TOP	1	1	36 "	25 "	72 "	FREEZER ON TOP				
A05	GAS (M/ LEGS)	1	1	29 7/8 "	26 1/2 "	40 "	GAS (W/ LEGS)				
A06	JDB9600CMS	1	1	23 3/8 "	22 "	30 7/16 "	JDB9600CMS				
A07	K-11076-4	1	1	13 3/16 "	5 3/8 "	8 9/16 "	K-11076-4 ARCHER WIDESPREAD BATHROOM SINK FAUCET				
408	K-2355 ARCHER UNDER- MOUNT BATHROOM SINK	1	1	19 "	15 "	7 1/2 "	K-2355 ARCHER UNDER-MOUNT BATHROOM SINK				
POA	K-9166	1	1	60 "	31 15/16 "	4 1/2 "	K-9166 BELLMETHER SHOMER BASE				
<del>4</del> 10	OVAL SINK	1	1	20 13/16 "	17 9/16 "	10 1/4 "	OVAL SINK				
<del>4</del> 11	PINCH PLEAT CURTAIN	1	1	156 13/16 "	1 "	94 "	PINCH PLEAT CURTAIN				
A12	PINCH PLEAT CURTAIN	1	1	70 15/16 "	5 1/16 "	93 "	PINCH PLEAT CURTAIN				
A13	VINTAGE SHOWERHEAD	1	1	95/8"	19 3/16 "	54 13/16 "	VINTAGE SHOWERHEAD				
A14	VENT HOOD (SMALL)	1	1	34 7/16 "	19 3/4 "	5 1/2 "	VENT HOOD (SMALL)				
A15	SINK [19 3/4M]	1	1	19 3/4 "	17 5/8 "	11 "	SINK [19 3/4W]				
<del>A</del> 16	UNDER CABINET	1	1	23 "	14 "	16 1/2 "	UNDER CABINET				
<del>4</del> 17	MEDIUM ELEC MH	1	1	23 "	21 "	58 "	MEDIUM ELEC MH				
<del>1</del> 18	MASHER (CURVED FRONT LOADING)	1	1	27 "	33 3/16 "	38 "	MASHER (CURVED FRONT LOADING)				
419	VERTICAL GRAB BAR	1	1	2 1/4 "	2 1/4 "	14 3/8 "	VERTICAL GRAB BAR				

NUMBER DATE REVISED BY DESCRIPTION

1AYDEN 1AYDEN

DESIGNED BY:
DRAWN BY:

DATE: 7/23/2018

SCALE:

SHEET:

P-20