

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION
OFFICE OF THE STATE FIRE MARSHAL
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



LISTING SERVICE

LISTING No. 8110-2053:0100 Page 1 of 1

CATEGORY: 8110 -- DECKING FOR WILDLAND URBAN INTERFACE (W.U.I.)

LISTEE: SABRA INTERNATIONAL, INC. 300 71st Street, Suite 430, Miami Beach, FL 33141
Contact: Jim VanPelt (863) 229-8456 Fax (863) 229-8359
Email: jim@LBRtimber.com

DESIGN: Sabra Brand "IPE" solid wood square edge deck board, 3/4" thick x 5-5/16" width, nominal density of 63.2 lb/cu.ft.. Refer to manufacturer's installation instructions and data sheet for details.

INSTALLATION: In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction.

MARKING: Listee's name, model number and SFM label

APPROVAL: Listed as solid wood decking material for used in the Wildland Urban Interface areas.

NOTE: Test Protocol 12-7A-4, Part A only,

06-27-13 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **July 01, 2018**

Listing Expires **June 30, 2019**

Authorized By: **DAVID CASTILLO**, Program Coordinator
Fire Engineering Division