




Trim List

Gunstock

- 44' Crown # 3601
- 40' Crown Stop 3/4" x 2 1/4" t W / Esquire edge
- 50' Shoe
- 40' Scribe
- Putty Stick
- Color # 1045 W / Brown Glaze Wiped Clean
- 25' Base Shoe
- 8' Scribe
- 8' Crown Stop 3/4" x 2 1/4" t W / Esquire Edge
- 10' Crown # 3601
- 16' Furniture base W / Esquire edge

FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____

1	KITCHEN (PERM)
Wood <u>ALDER (CLEAR)</u>	Dr. Hd. <u>988-128BWBAL</u> Interior <u>UV BIRCH</u>
Up. Dr. <u>MOURVARE</u>	Dwr. Hd. <u>988-128BWBAL</u> Dwr. Box <u>ASH</u>
Bs. Dr. <u>MOURVARE</u>	Hinge <u>SOFT</u> Dwr Slide <u>SOFT</u>
Edge <u>MACHINE</u>	T. Rail <u>6 1/4"</u> Const <u>FOL 1/4" REVER</u>
Dwr. Face <u>5 PC.</u>	Finish <u>GUN STOCK</u>


2	ISLAND
Wood <u>BIRCH</u>	Dr. Hd. <u>988-128BWBAL</u> Interior <u>UV BIRCH</u>
Up. Dr. _____	Dwr. Hd. <u>988-128BWBAL</u> Dwr. Box <u>ASH</u>
Bs. Dr. <u>MOURVARE</u>	Hinge <u>SOFT</u> Dwr Slide <u>SOFT</u>
Edge <u>MACHINE</u>	T. Rail _____ Const <u>FOL 1/4" REVER</u>
Dwr. Face <u>5 PC</u>	Finish <u>1045 (20 SHEEN) W/BROWN</u>

3	HOOD
Wood <u>BIRCH</u>	Dr. Hd. _____ Interior <u>UV BIRCH</u>
Up. Dr. _____	Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____	Hinge _____ Dwr Slide _____
Edge _____	T. Rail <u>6 1/4"</u> Const _____
Dwr. Face _____	Finish <u>1045 (20 SHEEN) W/BROWN</u>

GLAZE WIPED CLEAN

GLAZE WIPED CLEAN

Customer MK BEUMMEL Job Name: CHOUART RESIDENCE
Phone: 630-514-4499 Job Address: 3515 BLUESTERN CT.
Date: 9/26/19 Del Date: _____ Ship With: OSWEGO IL.



FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____

1	KITCHEN (Perm)				
Wood	ALDER (PLAN)	Dr. Hd.	988-128 BNAAL	Interior	UV BIRCH
Up. Dr.	MOURVERAE	Dwr. Hd.	988-128 BNAAL	Dwr. Box	ASH
Bs. Dr.	MOURVERAE	Hinge	SOFT	Dwr Slide	SOFT
Edge	MACHINE	T. Rail	6 1/4"	Const	FOL 1/4" REVEAL
Dwr. Face	SPC	Finish	GUNSTOCK		


2	HOOD				
Wood	BIRCH	Dr. Hd.		Interior	UV BIRCH
Up. Dr.		Dwr. Hd.		Dwr. Box	
Bs. Dr.		Hinge		Dwr Slide	
Edge		T. Rail		Const	FOL 1/4 REVEAL
Dwr. Face		Finish	1054 (20 SHEEN) w/BROWN		

3


Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail _____	Const _____
Dwr. Face _____	Finish _____	

GLAZE WIPED CLEAN

Customer MR BRUMMEL Job Name: CHOWART RESIDENCE
Phone: 630-514-4499 Job Address: 5515 BLUESTERN CT
Date: 9/26/19 Del Date: _____ Ship With: OSWEGO IL



Ceiling Height 107 5/8"
1/4" Reveals
HOLD UPPER DOWN 1" FROM CEILING



FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____

1 KITCHEN (Perm)
Wood ALDER (CLEAR) Dr. Hd. 988-128803AL Interior UV BIRCH
Up. Dr. MOURVERAE Dwr. Hd. 988-128803AL Dwr. Box ASH
Bs. Dr. MOURVERAE Hinge SOFT Dwr Slide SOFT
Edge MACHINE T. Rail 6 1/4" Const FOL 1/4 REVEAL
Dwr. Face 5PC Finish GUNSTOCK


2 _____
Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

3 _____
Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____


Customer MR BRUMMEL Job Name: CHOWART RESIDENCE
Phone: 630-514-4499 Job Address: 5515 BLUESTERN CT
Date: 9/26/19 Del Date: _____ Ship With: OSWEGO IL

ISLAND ELEVATION 1



1/4" Reveals



ISLAND ELEVATION 2



ISLAND ELEVATION 4



FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED

1 ISLAND			
Wood <u>BIRCH</u>	Dr. Hd. <u>988-128648AL</u>	Interior <u>UV BIRCH</u>	
Up. Dr. _____	Dwr. Hd. <u>988-128648AL</u>	Dwr. Box <u>ASH</u>	
Bs. Dr. <u>MOVIEVERAE</u>	Hinge <u>SOFT</u>	Dwr Slide <u>SOFT</u>	
Edge <u>ENACHINE</u>	T. Rail _____	Const <u>FOL 1/4 REVEAL</u>	
Dwr. Face <u>3PC</u>	Finish <u>1045 (20 SHEEN) W/BROWN</u>		


2			
Wood _____	Dr. Hd. _____	Interior _____	
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____	
Bs. Dr. _____	Hinge _____	Dwr Slide _____	
Edge _____	T. Rail _____	Const _____	
Dwr. Face _____	Finish _____		

3			
Wood _____	Dr. Hd. _____	Interior _____	
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____	
Bs. Dr. _____	Hinge _____	Dwr Slide _____	
Edge _____	T. Rail _____	Const _____	
Dwr. Face _____	Finish _____		

GLAZE WIPED CLEAN

Job# _____ of _____
Pg. _____ of _____
Seller RM

Customer MK Brummel Job Name: CHOUART RESIDENCE
Phone: 630-514-4499 Job Address: 5515 BLUESTERN CT.
Date: 9/26/19 Del Date: _____ Ship With: OSWEGO IL



FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____


1 HOOD		
Wood _____	Dr. Hd. _____	Interior <u>UV BIRCH</u>
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail <u>6 1/4"</u>	Const _____
Dwr. Face _____	Finish <u>1045 (20 SHEEN) W/BROWN</u>	

2		
Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail _____	Const _____
Dwr. Face _____	Finish _____	

3		
Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail _____	Const _____
Dwr. Face _____	Finish _____	

GLAZE WIPED CLEAN

Customer _____ Job Name: _____
Phone: _____ Job Address: _____
Date: _____ Del Date: _____ Ship With: _____





FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____

1	CROWN DETAIL	
Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail 6" 1/4"	Const _____
Dwr. Face _____	Finish _____	

2		
Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail _____	Const _____
Dwr. Face _____	Finish _____	

3		
Wood _____	Dr. Hd. _____	Interior _____
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____
Bs. Dr. _____	Hinge _____	Dwr Slide _____
Edge _____	T. Rail _____	Const _____
Dwr. Face _____	Finish _____	

Customer MK Brummel Job Name: CHOVART RESIDENCE
Phone: 630-574-4499 Job Address: 5515 BLUESTERN CT.
Date: 9/26/19 Del Date: _____ Ship With: OSWEGO IL



Trim List

8' Scribe

8' Base Shoe

FINAL SHOP DRAWING MUST
BE APPROVED BEFORE ORDER
CAN BE PROCESSED
BY _____
DATE _____

1 MASTER BATH			
Wood <u>MAPLE</u>	Dr. Hd. <u>400SN</u>	Interior <u>UV BIRCH</u>	
Up. Dr. _____	Dwr. Hd. <u>400SN</u>	Dwr. Box <u>ASH</u>	
Bs. Dr. <u>SIENNA</u>	Hinge <u>SOFT</u>	Dwr Slide <u>SOFT</u>	
Edge <u>MACHINE</u>	T. Rail _____	Const <u>FOL 1/4 REVEAL</u>	
Dwr. Face <u>5PC.</u>	Finish <u>CHICKLE</u>		


2			
Wood _____	Dr. Hd. _____	Interior _____	
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____	
Bs. Dr. _____	Hinge _____	Dwr Slide _____	
Edge _____	T. Rail _____	Const _____	
Dwr. Face _____	Finish _____		

3			
Wood _____	Dr. Hd. _____	Interior _____	
Up. Dr. _____	Dwr. Hd. _____	Dwr. Box _____	
Bs. Dr. _____	Hinge _____	Dwr Slide _____	
Edge _____	T. Rail _____	Const _____	
Dwr. Face _____	Finish _____		



Customer *MK Baummel* Job Name: *CHOWART RESIDENCE*
Phone: *630-514-4499* Job Address: *5515 BLUESTAN CT*
Date: _____ Del Date: _____ Ship With: *OSWEGO IL*

Refrigerator Spec

Dimensions




Installation Specifications




1. Ensure that there is enough space to install the unit and open its door. Measure the height, width and depth of the opening, making sure to include baseboards, molding tile, etc. Consider walls, islands or other obstacles. The floor also needs to be level to prevent the unit from vibrating noisily.
2. Verify that power is available.
3. Allow 1" minimum clearance at rear for proper air circulation and water/electrical connections. Provide a 3/8" minimum clearance at sides and top for easier installation.
4. Install the unit in an area with the temperature range of 41°F – 109°F. Avoid a place that is too hot or too cold to maintain the unit's cooling performance and appropriate power consumption.


Hood Spec Use 34 3/8" Width



FRONT



TOP



BACK

1

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

2

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

3

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

Appliances Specs

Job# _____ of _____
Pg. _____ of _____
Seller *RH*

Customer *MIK Brummel* Job Name: *CHOVART RESIDENCE*
Phone: *630-514-4499* Job Address: *5515 BLUESTEAD CT.*
Date: *9/26/19* Del Date: _____ Ship With: *OSWEGO IL*

SINGLE OVEN

Product Dimensions & Weight (WxHxD)

Outside (Max) Wall Oven Dimensions:
29 3/4" x 28 7/8" x 26 5/8"

Wall Oven Cut-Out Dimensions:
Standard Install: 28 1/2" x 27 1/4" x 23 1/2"
Flush Install: 30 1/4" x 29" x 24 7/8"

Weight: 176.8 lbs.


Shipping Dimensions & Weight (WxHxD)

Dimensions:
33 1/2" x 33 3/4" x 29 13/16"

Weight: 196.9 lbs.

Color	Model #	UPC Code
Stainless Steel	NV51M9770SS	887276230757
Matte Black		
Stainless Steel	NV51M9770SM	887276230740

Product Dimensions



Appliances Specs

OVEN MICRO COMBO

Product Dimensions & Weight (WxHxD)

Outside (Max) Combination Oven Dimensions:
29 3/4" x 43 3/8" x 26 5/8"

Combination Oven Cut-Out Dimensions:
Standard Install: 28 1/2" x 42 1/4" x 23 1/2"
Flush Install: 30 1/4" x 43 11/16" x 24 7/8"

Weight: 280.4 lbs.


Shipping Dimensions & Weight (WxHxD)

Dimensions: 33 5/8" x 48 3/16" x 29 51/64"

Weight: 315.7 lbs.


Color	Model #	UPC Code
Stainless Steel	NQ70M9770DS	887276230566
Matte Black Stainless Steel	NQ70M9770DM	887276230559

Product Dimensions



COOKTOP SPEC


Cooktop Dimensions



BLACK NV51M9770SSD

Installing Your Cooktop

Can be installed over a single oven.



1

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

2

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____

3

Wood _____ Dr. Hd. _____ Interior _____
Up. Dr. _____ Dwr. Hd. _____ Dwr. Box _____
Bs. Dr. _____ Hinge _____ Dwr Slide _____
Edge _____ T. Rail _____ Const _____
Dwr. Face _____ Finish _____