







Room Specification

General

Structure

Deck

Deck Support

Moldings

Wall Covering

Fill Style

Materials

Components

Schedule

Absolute Elevations

Stem Wall Top: 42 1/2"

Ceiling: 42 1/2"

Floor: -73 1/2"

Floor Below: -73 1/2"

Relative Heights

Rough Ceiling: 116"

Finished Ceiling: 115 1/2"

Floor To SWT: 116"

Ceiling Below: 0"

Stem Wall: 150"

SWT = Stem Wall Top

Ceiling

☐ Roof Over This Room

☐ Flat Ceiling Over This Room

☐ Shelf Ceiling

☐ Use Soffit Surface for Ceiling

Ceiling Structure: 3 1/2" Edit... ☒ Default

Ceiling Finish: 1/2" Edit... ☐ Default

Floor

☒ Floor Under This Room

☒ Room Supplies Floor for the Room Above

☐ Monolithic Slab Foundation

☐ Retain Floor/Ceiling Framing

Slab Pour Number / Framing Group: 1

Floor Finish: 0" Edit... ☐ Default

On Structure Resize: ☒ Lock Floor Top ☐ Lock Floor Bottom

Floor Structure: 4" Edit... ☐ Default

Number Style...

OK

Cancel

Help

CEILING

42 1/2"

WALL TOP

1/2"

FLOOR

-73 1/2"

116"

116"

150"

115 1/2"

4"

Wall Specification

- General
- Structure
- Roof
- Foundation
- Wall Types
- Wall Cap
- Wall Covering
- Rail Style
- Newels/Balusters
- Rails
- Layer
- Materials
- Label
- Components
- Object Information
- Schedule

General

Wall Type: Exterior-4 Define...



☒ Pony Wall

Lower Wall Type: 6" Concrete Stem Wall Define...




Elevation of Lower Wall Top: -65 1/2"

Height Off Floor: 8"

- Align Pony Wall at:
- ☐ Outer Surface
 - ☒ Main Layer Outside
 - ☐ Wall Center
 - ☐ Main Layer Inside
 - ☐ Inner Surface

- Display In Plan View:
- ☐ Default
 - ☐ Upper Wall
 - ☐ Lower Wall
 - ☐ Upper Wall and Lower Wall Outline
 - ☐ Upper Wall Outline and Lower Wall
 - ☒ Upper Wall and Lower Wall



Number Style...

OK

Cancel

Help