




APT Series Angle Power Strip

Tamper Resistant Receptacles eliminate cutouts for receptacles and switches in your backsplash



Section Drawing

FEATURES

- Tamper Resistant
- Easy Installation
- Designer finishes to blend with any decor
- 3-Year Limited Warranty

APPLICATIONS

- Kitchens
- Baths
- Offices & Computer Labs
- Islands
- Shops & Garages

SPECIFICATIONS

Construction Materials: Powder Coated Aluminum

Input Voltage: 120V

Mounting: Wood Screws & Wall Anchors

Wiring: 12 ga. Romex

Environment: Dry Only

APT SERIES ANGLE POWER STRIP

Part Number	Length	# of Recept.	Recept. Color	Finish
APT9-2Color-P-Finish-*Position	9"	2	B, G, W	BK, BZ, SN, WT
APT12-2Color-P-Finish-*Position	12"	2	B, G, W	BK, BZ, SN, WT
APT18-3Color-P-Finish-*Position	18"	3	B, G, W	BK, BZ, SN, WT
APT24-4Color-P-Finish	24"	4	B, G, W	BK, BZ, SN, WT
APT30-4Color-P-Finish	30"	4	B, G, W	BK, BZ, SN, WT
APT36-4Color-P-Finish	36"	4	B, G, W	BK, BZ, SN, WT
APT42-5Color-P-Finish	42"	5	B, G, W	BK, BZ, SN, WT
APT48-5Color-P-Finish	48"	5	B, G, W	BK, BZ, SN, WT
APT60-7Color-P-Finish	60"	7	B, G, W	BK, BZ, SN, WT
APT72-8Color-P-Finish	72"	8	B, G, W	BK, BZ, SN, WT

*Indicate Left (L) or Right (R) side wire entry

FINISHES



Black (BK)



Bronze (BZ)



Satin Nickel (SN)



White (WT)

RECEPTACLE COLORS



Black (B)



Gray (G)



White (W)


OPTIONAL INSTALLATION COMPONENTS

PART NUMBER	DIMENSIONS	DESCRIPTION
SQ-JB-Finish	3" x 3" x 1 1/2"	Square Junction Box
LVA-JBF-Finish	3" x 1 9/16" x 1 1/2"	Junction box - low voltage w/ wire exit through face
LVA-JBT-Finish	3" x 1 9/16" x 1 1/2"	Junction box - low voltage w/ wire exit through top



AP Series Angle Power Strip

Non Tamper Resistant Receptacles eliminate cutouts for receptacles and switches in your backsplash



Section Drawing

AP SERIES ANGLE POWER STRIP

Part Number	Length	# of Recept.	Recept. Color	Finish
9APS-2Color-P-Finish-*Position	9"	2	B, G, W	BK, BZ, SN, WT
12APS-2Color-P-Finish-*Position	12"	2	B, G, W	BK, BZ, SN, WT
18APS-3Color-P-Finish-*Position	18"	3	B, G, W	BK, BZ, SN, WT
24APS-4Color-P-Finish	24"	4	B, G, W	BK, BZ, SN, WT
30APS-4Color-P-Finish	30"	4	B, G, W	BK, BZ, SN, WT
36APS-4Color-P-Finish	36"	4	B, G, W	BK, BZ, SN, WT
42APS-5Color-P-Finish	42"	5	B, G, W	BK, BZ, SN, WT
48APS-5Color-P-Finish	48"	5	B, G, W	BK, BZ, SN, WT
60APS-7Color-P-Finish	60"	7	B, G, W	BK, BZ, SN, WT
72APS-8Color-P-Finish	72"	8	B, G, W	BK, BZ, SN, WT

*Indicate Left (L) or Right (R) side wire entry

FEATURES

- Easy Installation
- Designer finishes to blend with any decor
- 3-Year Limited Warranty

APPLICATIONS

- Kitchens
- Baths
- Offices & Computer Labs
- Islands
- Shops & Garages

SPECIFICATIONS

Construction Materials: Powder Coated Aluminum

Input Voltage: 120V

Mounting: Wood Screws & Wall Anchors

Wiring: 12 ga. Romex

Environment: Dry Only

FINISHES



Black (BK)



Bronze (BZ)



Satin Nickel (SN)



White (WT)

RECEPTACLE COLORS



Black (B)
20 Amp



Gray (G)



White (W)

OPTIONAL INSTALLATION COMPONENTS


PART NUMBER	DIMENSIONS	DESCRIPTION
SQ-JB-Finish	3"x3"x1½"	Square Junction Box
LVA-JBF-Finish	3"x1 9/16"x1½"	Junction box - low voltage w/ wire exit through face
LVA-JBT-Finish	3"x1 9/16"x1½"	Junction box - low voltage w/ wire exit through top




APT/AP Series Angle Power Strip

Eliminate cutouts for receptacles and switches in your backsplash


72APS-8Color-Finish



60APS-7Color-Finish




48APS-5Color-Finish




42APS-5Color-Finish




36APS-4Color-Finish




30APS-4Color-Finish




24APS-4Color-Finish




18APS-3Color-Finish (choose left or right wire entry)



12APS-2Color-Finish (choose left or right wire entry)



9APS-2Color-Finish (choose left or right wire entry)



LEGEND

= Knock-out (all knock-outs are 1 1/2" from end)

= Receptacle (Available in White, Gray, or Black)

CUSTOM OPTIONS

- Custom lengths from 9" - 92" (larger sizes will have a seam when assembled)
- 120 Volt integral switch (*available in black or white only*)
- Additional receptacles
- Custom receptacle/switch placement

CUSTOM OPTION DETAILS

- Receptacles must be a minimum of 2" apart (on center)
- Receptacles must be a minimum of 2" from end. (Requires wire entry at opposite end of fixture)
- Custom charges will apply. Call for a quote and assistance with your custom order.
- Call for lead time